

**Appendix G. Value of the Haber's Law Exponent (n) for various gases and vapors for acute RELs developed using OEHHA (1999) procedures**

**TABLE G1. VALUE OF THE HABER'S LAW EXPONENT (*n*) FOR VARIOUS GASES AND VAPORS FOR ACUTE RELS<sup>1</sup>**

<b>Chemical</b>	<b><i>n</i></b>	<b>Species/Effect (site of action)</b>	<b>References, Comments</b>
Acrolein	1.2	rat/lethality (local irritant)	U.S. EPA (1992a; U.S.EPA, 1992b) <sup>2</sup>
Acrylonitrile	1.1	rat/lethality (systemic)	(Dudley and Neal, 1942; Appel et al., 1981) <sup>3</sup>
Allyl chloride	0.5	rat/lethality (local irritant)	Adams <i>et al.</i> (1940) <sup>2</sup>
Ammonia	4.6	Human/irritation	Rosenbaum <i>et al.</i> (1993)
	2.02	rat/lethality (local irritant)	Appelman <i>et al.</i> (1982)
Arsine	2.2	rat/lethality (systemic)	IRDC (1985) <sup>2</sup> for 0.5 to 1 hr (n dependent on exposure duration)
	1.0	rat/lethality (systemic)	IRDC (1985) <sup>2</sup> for 4 hr to 1 hr (n dependent on exposure duration)
	2	mice/lethality (systemic)	Levvy (1947)
Benzene	2	not given	AICE (1989)
Bromine	2.2	mice/lethality (local irritant)	Bitron & Aharoson (1978) <sup>3</sup>
Carbon monoxide	1	not given	AICE (1989)
Carbon tetrachloride	2.8	rat/lethality (systemic)	Adams <i>et al.</i> (1952) <sup>3</sup>
Chlorine	2.8	rat/lethality (local irritant)	Zwart & Woutersen (1988) <sup>2</sup> for 0.5 hr to 1 hr (n dependent on exposure duration)
	1.0	rat/lethality (local irritant)	Zwart & Woutersen (1988) <sup>2</sup> for 4 hr to 1 hr (n dependent on exposure duration)
	1.3	mouse/lethality (local irritant)	Zwart & Woutersen (1988) <sup>2</sup>
	3.5	mouse/lethality (local irritant)	Bitron & Aharoson (1978) <sup>3</sup>
Chlorine pentafluoride	2	rat, mouse, dog, monkey/lethality (local irritant)	Darmer <i>et al.</i> (1972) <sup>3</sup>
Crotonaldehyde	1.2	rat/lethality (local irritant)	Rinehart (1967) <sup>3</sup>
Dibutyl hexamethylene-diamine	1	rat/lethality (local irritant)	Kennedy & Chen (1984) <sup>3</sup>
1,2-dichloro-ethylene	2	(not applicable)/lethality (systemic)	U.S.EPA (1996), based on the mid-point range of n values from lethality data of <sup>3</sup>
Dimethyldichloro-silane	2	(not applicable)/lethality (local irritant)	U.S.EPA (1996), based on the mid-point range of n values from lethality data of <sup>3</sup>
Ethylene dibromide	1.2	rat/lethality (systemic)	(Rowe <i>et al.</i> , 1952b) <sup>3</sup>
Ethylene imine	1.1	rat, guinea pig/lethality (local irritant)	(Carpenter <i>et al.</i> , 1948) <sup>3</sup>
Fluorine	1.9	rat/lethality (local irritant)	U.S.EPA (1996), derived from LC <sub>50</sub> data of Keplinger & Suisse (1968)
	1.8	mouse/lethality (local irritant)	U.S. EPA (1996), derived from LC <sub>50</sub> data of Keplinger & Suisse (1968)
	1.6	guinea pig/lethality (local irritant)	U.S.EPA (1996), derived from LC <sub>50</sub> data of Keplinger & Suisse 1968)
Formaldehyde	2	not given	AICE (1989)

Chemical	n	Species/Effect (site of action)	References, Comments
Hydrazine	2	(not applicable)/lethality (systemic)	U.S.EPA (1996), based on the mid-point range of n values from lethality data of <sup>3</sup>
Hydrogen chloride	1	rat, mouse/lethality (local irritant)	Darmer (1972) <sup>3</sup>
	1.5	rat/lethality (local irritant)	Hartzell & Johnson (1985) <sup>2</sup>
Hydrogen cyanide	2.7	numerous species/lethality (systemic)	Barcroft (1931) <sup>3</sup>
Hydrogen fluoride	2	rabbits, guinea pigs/ lethality (local irritant)	Machle (1934) <sup>3</sup>
Hydrogen fluoride (low humidity)	1	rat/lethality (local irritant)	Haskell Lab. (1988) <sup>2</sup>
Hydrogen sulfide	2.2	cat, rabbit/lethality (systemic/local irritant)	Lehmann (1892) <sup>3</sup>
	8.2	lethality (systemic/local irritant)	Arts (1989)
Methyl bromide	4.0	severe morbidity (systemic/local irritant)	Pharmaco: LSR, (1994) as cited in DPR (2004) <sup>2</sup> , DPR (1996)
	1	not given	AICE (1989)
Methylene chloro-bromide	1.6	rat/lethality (systemic)	Torkelson (1960) <sup>3</sup>
Methyl hydrazine	1.0	squirrel monkey/lethality (systemic and local irritant)	Haun (1970) <sup>2</sup>
	1.0	dog/lethality (systemic and local irritant)	Haun (1970) <sup>2</sup>
Methyl isocyanate	1.1	human/eye irritation	Mellon Institute (1963) <sup>2</sup>
	0.5	rat/lethality (local irritant)	Kimmerle & Eben (1964) <sup>2</sup>
	0.7	rat/lethality (local irritant)	DOW Chemical (1990) <sup>2</sup>
Methyl mercaptan	2	(Not applicable)/lethality (systemic and local irritant)	U.S.EPA (1996), based on the mid-point range of n values from lethality data of <sup>3</sup>
Methyl t-butyl ether	2.0	lethality (systemic)	Snam Progretti (1980) as cited in ten Berge et al., (1986) <sup>3</sup>
Nitrogen dioxide	3.5	guinea pig, mouse, dog, rat, rabbit/lethality (local irritant)	Hine et al., (1970) <sup>3</sup>
Nitric acid	3.5	not applicable (local irritant)	U.S.EPA (1996), based on NO <sub>2</sub> from Hine et al. (1970)
Perfluoroisobutylene	1.2	rat/lethality (local irritant)	Smith et al. (1982) <sup>3</sup>
Phosgene	1	lethality (local irritant)	Rinehart & Hatch (1964)
Propylene oxide	2.2	rat/lethality (local irritant)	Rowe et al. (1956) <sup>2</sup>
	1.5	guinea pig/lethality (local irritant)	Rowe et al. (1956) <sup>2</sup>
Sulfur dioxide	1	not given	AICE (1989)
Tetrachloroethylene	2.0	rat/lethality (systemic)	Rowe et al (1952a) <sup>3</sup>
Toluene	2.5	not given	AICE (1989)
Trichloroethylene	0.8	rat/lethality (systemic)	Adams et al. (1951) <sup>3</sup>

<sup>1</sup> developed using procedures specified in OEHHA (1999a).   <sup>2</sup>derived by OEHHA.<sup>3</sup>derived by ten Berge (1986).

## References

- Adams EM, Spencer HC and Irish DD (1940). The acute vapor toxicity of allyl chloride. *J Ind Hyg Toxicol* 22(2): 79-86.
- Adams EM, Spencer HC, Rowe VK, Mc CD and Irish DD (1952). Vapor toxicity of carbon tetrachloride determined by experiments on laboratory animals. *A M A Arch Ind Hyg Occup Med* 6(1): 50-66.
- Adams EM, Spencer HC, Rowe VK, Mc CDD and Irish DD (1951). Vapor toxicity of trichloroethylene determined by experiments on laboratory animals. *A M A Arch Ind Hyg Occup Med* 4(5): 469-481.
- AICE. (1989). *Guidelines for Chemical Process Quantitative Risk Analysis*. pp. 148-159. New York (NY): Center for Chemical Process Safety, American Institute of Chemical Engineers.
- Appel KE, Peter H, Bolt M and Bolt HM (1981). Interaction of acrylonitrile with hepatic microsomes of rats and men. *Toxicol Lett* 7(4-5): 335-339.
- Appelman LM, ten Berge WF and Reuzel PG (1982). Acute inhalation toxicity study of ammonia in rats with variable exposure periods. *Am Ind Hyg Assoc J* 43(9): 662-665.
- Arts JH, Zwart A, Schoen ED and Klokman-Houweling JM (1989). Determination of concentration-time-mortality relationships versus LC<sub>50</sub>'s according to OECD guideline 403. *Exp Pathol* 37(1-4): 62-66.
- Barcroft J (1931). The toxicity of atmospheres containing hydrocyanic acid gas. *J Hyg* 31(1): 1-34.
- Bitron MD and Aharonson EF (1978). Delayed mortality of mice following inhalation of acute doses of CH<sub>2</sub>O, SO<sub>2</sub>Cl<sub>2</sub>, and Br<sub>2</sub>. *Am Ind Hyg Assoc J* 39(2): 129-138.
- Carpenter CP, Smyth Jr. HF and Shaffer CB (1948). The acute toxicity of ethylene imine to small animals. *J Ind Hyg Toxicol* 30: 2-6.
- Darmer Jr. KI, Haun CC and MacEwen JD (1972). The acute inhalation toxicology of chlorine pentafluoride. *Am Ind Hyg Assoc J* 33(10): 661-668.
- Dow Chemical (1990). Unpublished experiments on methyl isocyanate. Dow Chemical Company.
- DPR. (1996). *Summary of Pesticide Use Report Data 1996 Indexed by Commodity*. Sacramento (CA): Department of Pesticide Regulation, California Environmental Protection Agency.
- Dudley HC and Neal PA (1942). Toxicology of acrylonitrile (vinyl cyanide). I. A study of the acute toxicity. *J Ind Hyg Toxicol* 24(2): 27-36.

Hartzell CR and Johnson GV (1985). In vivo MAC values and in vitro experimentation. *Anesth Analg* 64(4): 386-387.

Haun CC, MacEwen JD, Vernot EH and Eagan GF (1970). Acute inhalation toxicity of monomethylhydrazine vapor. *Am Ind Hyg Assoc J* 31(6): 667-677.

Hine CH, Meyers FH and Wright RW (1970). Pulmonary changes in animals exposed to nitrogen dioxide, effects of acute exposures. *Toxicol Appl Pharmacol* 16(1): 201-213.

IRDC. (1985). *Three Acute Inhalation Toxicity Studies of Arsine on Rats (Final Report)*

Report No. 533-001, 533-002, and 533-003. Mattawan (MI): International Research & Development Corporation.

Kennedy Jr. GL and Chen HC (1984). Inhalation toxicity of dibutylhexamethylenediamine in rats. *Food Chem Toxicol* 22(6): 425-429.

Keplinger ML and Suissa LW (1968). Toxicity of fluorine short-term inhalation. *Am Ind Hyg Assoc J* 29(1): 10-18.

Kimmerle G and Eben A (1964). [On the toxicity of methylisocyanate and its quantitative determination in the air]. *Arch Toxikol* 20: 235-241.

Lehmann KB (1892). Experimentele Studien über den Einfluss technisch und hygienisch wichtiger Gase und Dampfe auf den Organismus [German]. *Arch Hyg* 14: 135-189.

Levvy GA (1947). A study of arsine poisoning. *Quart J Exp Physiol* 34: 47-67.

Machle W, Thamann F, Kitzmiller K and Cholak J (1934). The effects of the inhalation of hydrogen fluoride. I. The response following exposure to high concentrations. *J Ind Hyg* 16(2): 129-145.

Mellon Institute (1963). Special report 26-23: Methyl Isocyanate. Pittsburgh (PA): Mellon Institute.

OEHHA. (1999a). *The Air Toxics Hot Spots Program Risk Assessment Guidelines. Part I: Technical Support Document for Determination of Acute Reference Exposure Levels for Airborne Toxicants*. Air Toxicology and Epidemiology Section, Office of Environmental Health Hazard Assessment, California Environmental Protection Agency.  
[http://www.oehha.ca.gov/air/acute\\_rels/acuterel.html#download](http://www.oehha.ca.gov/air/acute_rels/acuterel.html#download).

Pharmaco: LSR I (1994). An Up-and-Down Acute Inhalation Toxicity Study of Methyl Bromide in the Dog (Four Exposure Phase). E. Millstone(NJ), Pharmaco: LSR, Inc.

Rinehart WE (1967). The effect on rats of single exposures to crotonaldehyde vapor. *Am Ind Hyg Assoc J* 28(6): 561-566.

Rinehart WE and Hatch T (1964). Concentration-time product (Ct) as an expression of dose in sublethal exposures to phosgene. Am Ind Hyg Assoc J 25: 545-553.

Rosenbaum JR, Alexeef GV and Lewis DC (1993). Use of benchmark dose methodology to combine data sets in the development of an acute REL for ammonia [Abstract]. The Toxicologist 13: 282.

Rowe VK, Dd M, Spencer HC, Adams EM and Irish DD (1952a). Vapor toxicity of tetrachloroethylene for laboratory animals and human subjects. A M A Arch Ind Hyg Occup Med 5(6): 566-579.

Rowe VK, Hollingsworth RL, Oyen F, McCollister DD and Spencer HC (1956). Toxicity of propylene oxide determined on experimental animals. AMA Arch Ind Health 13(3): 228-236.

Rowe VK, Spencer HC, Mc CD, Hollingsworth RL and Adams EM (1952b). Toxicity of ethylene dibromide determined on experimental animals. A M A Arch Ind Hyg Occup Med 6(2): 158-173.

Smith LW, Gardner RJ and Kennedy Jr. GL (1982). Short-term inhalation toxicity of perfluoroisobutylene. Drug Chem Toxicol 5(3): 295-303.

Snam Progetti (1980). Research reports on MTBE: Toxicological data.

ten Berge WF, Zwart A and Appelman LM (1986). Concentration-time mortality response relationship of irritant and systemically acting vapours and gases. J Hazard Mater 13: 301-309.

Torkelson TR, Oyen F and Rowe VK (1960). The toxicity of bromochloromethane (methylene chlorobromide) as determined on laboratory animals. Am Ind Hyg Assoc J 21: 275-286.

U.S.EPA. (1992a). *Acute Inhalation Toxicity of Acrolein in Hamsters*. EPA/OTS: 88-920002323. Washington (DC), United States Environmental Protection Agency.

U.S.EPA. (1992b). *Acute Inhalation Toxicity of Acrolein Vapor by One and Four-Hour Exposures* EPA/OTS: 88-920001468S. Washington (DC), United States Environmental Protection Agency.

U.S.EPA (1996). Integrated Risk Information System (IRIS) Database

Washington (DC), United States Environmental Protection Agency. <http://www.epa.gov/IRIS>. August 7, 2006.

Zwart A and Woutersen RA (1988). Acute inhalation toxicity of chlorine in rats and mice time-concentration-mortality relationships and effects on respiration. Journal of Hazardous Materials 19(2): 195-208.